

Light Weight, Compact 产品轻，连接紧密

Easy to Handle, Clean 使用方便，容易清洗

Cost Effective 成本低，性价比高

Easy to Store 储存方便

Easy to deploy 方便调度



PVC OIL FENCE BOOM

PVC 围油栏



## Oil Fence Boom 围油栏

Oil fence boom is an impervious (non-absorbent) floating, fence-like boom used to contain oil spills on the water's surface. Our fence booms are lightweight, compact and ideal for emergency response to contain spills in calm or sheltered waters, such as harbours, rivers and ponds.

油围油栏是一种不透水（非吸收性）浮动、类似栅栏的围油栏，用于阻挡水面上的漏油。我们的围油栏重量轻盈、结构紧凑且非常适合应用于紧急漏油事故，主要用于平静或避风水域（例如港口）中的泄漏，河流和池塘等。

## Application 适用范围

River Area 江河流域

Harbor Area 港口领域

Wharf Basin 码头流域

Oil Sector 石油领域

Reservoir Basin 水库流域


Maritime Domain 海上领域



Fence Oil  
燃油泄漏



Fence Rubbish  
垃圾清理




Emergency Rescue  
紧急救援

Our factory has specialized in oil fence boom for many years, Besides product design and delivery, After service also excellent. We even know what works and what does not work advice for clients.

我们利通帆篷厂生产围油栏已经很多年经验，除了产品设计和运输，我们的售后服务也是一流的，不同客户需求，我们都会为他推荐最好的




Environment Protect  
水体修复



Harbour Maintenance  
港口维护

## Working Principle 工作原理



### Competitive Advantages 优势

- ✓ Lightweight, compact, easy to handle, impervious (non absorbent) oil spill boom.  
重量轻、结构紧凑、易于操作、不透水（非吸收性）溢油围油栏。
- ✓ Very cost-effective boom delivering excellent performance.  
成本低，性能好，性价比高。
- ✓ Booms hold part of the fence underwater with approximately 40% of the boom above water level.  
围油栏部分会固定在水下，约 40% 的浮于水面。
- ✓ Standard size every 15-20 meter a ASTM universal aluminum connector.  
常规每15~20米一个ASTM铝制连接件
- ✓ The fence boom is easy to store and deploy, taking up minimal storage space due to its ability to fold.  
围油栏易于存储和调度，由于能够折叠，占用的存储空间极小。
- ✓ Excellent boom for emergency spill response trailers.  
快速响应紧急泄油事故。
- ✓ Easy to clean.(make of PVC mesh coated tarp)  
清洗油污简单。（由PVC夹网布材料制造）
- ✓ Fence booms are affected by winds over 20 knots and strong currents, therefore only ideal for calmer, more sheltered waters.  
围油栏受 20海里以上的风和强水流的影响，因此只适用于平静和避风的水域。
- ✓ Special extruded aluminium end connectors (ASTM) allow multiple sections to be joined together easily.  
特殊的铝端连接器 (ASTM) 允许将多个部分轻松连接在一起。

## Oil Fence Boom Sample Display 围油栏样板展示



Back Side  
背面



Foam Filled  
泡沫填充物



Front Side  
前面





## Two Kinds of Connector in different size 不同尺寸围油栏的两个连接件

### 1. ASTM universal aluminum connector (ASTM 通用铝制连接件)



### 2. Zipper & Rope & Grommets (拉链 & 绳 & 扣圈)




## Standard Specification 常规尺寸

In different usage area, need in different size oil fence boom to protect. Our LTCANOPY will according client's request to design what type of oil fence boom match.

不同的使用东四，需要用不同尺寸的围油栏，我们利通帆蓬厂会根据客户的要求为他量身定制一款适合他的围油栏。

围油栏是用于水面溢油控制的专业环保产品，可快速围隔油污，防止扩散，提升回收效率。适用于港口、河道、湖泊及海上作业环境，性能稳定，安全可靠。

An Oil Boom is a professional solution for oil spill containment on water surfaces. It effectively limits oil spread and improves recovery efficiency, suitable for ports, rivers, lakes, and offshore applications.



Product No.	Flat Diameter (mm) or more	Under The Water Surface (mm)	Length (m)	Weight (kg/span)	Package Size L*W*H(cm)	Connection Method	Usage
产品型号	泡沫直径 (毫米)或更大	吃水位深度 (毫米)	长度 (米)	每块的重量/千克	打包尺寸 长*宽*高 (厘米)	连接件	适用范围
LT-100	100	200	20	22	55*70*40	Z	Short, Narrow Area & Urgency 短和窄的范围&应急
LT-150	150	300		38	65*100*65	Z	
LT-200	200	300		60	110*85*85	A	Big Area, Like Ocean 大范围, 如海洋
LT-300S	300	400		72	115*150*95	A	
LT-300L	300	400		82	125*120*95	A	
LT-300-Air	300	400		70	70*120*30	A	
LT-400	400	500		150		Z	Permanent Installation Type 永久固定性的
LT-450	450	700		200			Customized 定制
LT-600	600	800		240			

\* Connection method: A= ASTM universal aluminum connector , Z=Zipper & Rope & Grommets


连接件: A为: ASTM 通用铝制连接件, Z为: 拉链 & 绳 & 扣圈

\* Customized size and specification products are also available

可提供定制尺寸和规格的产品。



**LiTong**  
**利通**



Defining Canvas Quality: From a 6S Benchmark Factory.  
定义帆布品质：源自6S级标杆工厂。 <<<

Company name : FoShan LiTong FanPeng Co. ,LTD.

Add: Building 1, No.88, Xingye East Road, Henggang, shishan Town, Nanhai District, Foshan City,  
Guangdong province , China , 528225

Email: [yannis@ltcanopy.com](mailto:yannis@ltcanopy.com)

Attn : Mr.Ou

Phone / Wechat / Whatsapp : 86-15813613056

公司名称：佛山市利通帆蓬有限公司

营业地址：佛山市南海区狮山镇横岗兴业东路88号1号楼

电话：0757-85772947

联系人：区先生

邮件： [yannis@ltcanopy.com](mailto:yannis@ltcanopy.com)

